













ROCKFON® BLANKA™



IF ONLY EVERYTHING WHITE
WAS THIS BRIGHT

ROCKFON® BLANKA™

ASSORTMENT

Edge detail	Module size (mm)	Weight (kg/m ²)	MS* / MS* easy access (mm)	Recommended installation system
 A15	600 x 600 x 20 1200 x 600 x 20	2.3	Local	Local
 A24	600 x 600 x 20 1200 x 600 x 20 1800 x 600 x 20	2.3 2.3 2.3	Local	Local
 B	600 x 600 x 20 1200 x 600 x 20	3.4 3.4	Local	Local
 C	600 x 600 x 20 1200 x 600 x 20	3.4 3.4	Local	Local
 D	600 x 600 x 20 1200 x 600 x 20	3.4 3.4	Local	Local
 D/AEX	1200 x 600 x 20 1500 x 600 x 20 1800 x 600 x 20 1200 x 300 x 20 1500 x 300 x 20 1800 x 300 x 20	3.4 3.4 3.4 3.4 3.4 3.4	Local	Local
 E15	600 x 600 x 20 1200 x 600 x 20	2.8 2.8	Local	Local
 E24	600 x 600 x 20 1200 x 600 x 20	2.8 2.8	Local	Local
 G	600 x 600 x 20 1200 x 600 x 20	3.4 3.4	Local	Local
 M	600 x 600 x 20 900 x 900 x 25	3.4 4.1	Local	Local
 X	600 x 600 x 22 1200 x 600 x 22 1800 x 600 x 22	3.7 3.7 3.7	Local	Local
 Z	600 x 600 x 20 1200 x 600 x 20	3.4 3.4	Local	Local


*MS - Minimum Suspension
More dimensions available upon request.

PERFORMANCE



Sound absorption

α_w : up to 1.00 (Class A)



Reaction to fire

A1



Fire resistance

Local



Humidity and sag resistance

Up to 100% RH
1/C/ON
2/C/ON if panel width
and length > 700mm



Light reflection and light diffusion

87% light reflection
>99% light diffusion



Visual appearance

Super-white surface
L value: 94.5

The whiteness (L value) of the product is tested in accordance with ISO 7724 and measured on a scale from 1 (black) to 100 (white).

Deep matt surface, perfect
in critical side-light
Gloss: 0.8% at 85° angle

The gloss of the product is tested in accordance with ISO 2813.



Cleaning

Vacuum
Damp cloth
Wet-scrub
resistance Class 2

The wet-scrub resistance is tested in accordance with EN ISO 11998:2007, rated on a scale from 1 to 5, where 1 is best.



Hygiene

Stone wool provides
no sustenance to
microorganisms



Surface durability

Enhanced durability
and dirt resistance.



Environment

Fully recyclable



Indoor environment

A selection of ROCKFON
products have been awarded

